Shininess the Future

上海善宇实业有限公司
Shanghai shininess Industrial Co., Ltd
Tel: +86-21-58545653
Fax: +86-21-58545652
E-mail: info@brightkold.com
Website: www.brightkold.com

Brightkold

LED VEHICLE LIGHTING

LED Bar Light

Shanghai shininess Industrial Co., Ltd

www.brightkold.com

IP67 LED Bar Light

Features:

- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Use high quality LEDs.
- Material: Aluminum housing + Polycarbonate lens.
- Available in difference length.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.
- Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-223A-01	200x86x55mm	12-28VDC	18W	6pcs 3W LED	White	10pcs/ctn	7kg	54*24*24cm
KW-223A-02	368x86x55mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	12kg	54*41*24cm
KW-223A-03	536x86x55mm	12-28VDC	54W	18pcs 3W LED	White	5pcs/ctn	9kg	57*52*12cm

IP67 LED Bar Light

Features:

- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Use high quality LEDs.
- Material: Aluminum housing + Polycarbonate lens.
- Available in difference length.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.
- Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-223B-01	258x82x55mm	12-28VDC	18W	6pcs 3W LED	White	10pcs/ctn	7kg	54*24*24cm
KW-223B-02	425x82x55mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	12kg	54*41*24cm
KW-223B-03	594x82x55mm	12-28VDC	54W	18pcs 3W LED	White	5pcs/ctn	9kg	57*52*12cm

IP67 LED Bar Light

Features:

- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Use high quality LEDs.
- Material: Aluminum housing + Polycarbonate lens.
- Available in difference length.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.
- Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-224A-01	118x90x66mm	12-28VDC	18W	6pcs 3W LED	White	10pcs/ctn	8kg	46*31*18cm
KW-224A-02	200x90x66mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	10kg	42*25*32cm
KW-224A-03	284x90x66mm	12-28VDC	54W	18pcs 3W LED	White	5pcs/ctn	8kg	57*31*16cm
KW-224A-04	368x90x66mm	12-28VDC	72W	24pcs 3W LED	White	5pcs/ctn	10kg	57*40*16cm

IP67 LED Bar Light

Features:

- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Use high quality LEDs.
- Material: Aluminum housing + Polycarbonate lens.
- Available in difference length.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.
- Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-224B-01	175x97x66mm	12-28VDC	18W	6pcs 3W LED	White	10pcs/ctn	8kg	46*31*18cm
KW-224B-02	262x97x66mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	10kg	42*25*32cm
KW-224B-03	350x97x66mm	12-28VDC	54W	18pcs 3W LED	White	5pcs/ctn	8kg	57*31*16cm
KW-224B-04	438x97x66mm	12-28VDC	72W	24pcs 3W LED	White	5pcs/ctn	10kg	57*40*16cm

IP67 LED Bar Light



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243A-01	255x91x66mm	12-28VDC	18W	6pcs 3W LED	White	10pcs/ctn	12kg	50*29*27cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243A-02	444x91x66mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	18kg	63*48*22cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243A-03	633x91x66mm	12-28VDC	54W	18pcs 3W LED	White	5pcs/ctn	14kg	67*50*15cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243A-04	822x91x66mm	12-28VDC	72W	24pcs 3W LED	White	5pcs/ctn	15kg	86*50*15cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243A-05	1011x91x66mm	12-28VDC	90W	30pcs 3W LED	White	5pcs/ctn	18kg	105*35*16cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243A-06	1200x91x66mm	12-28VDC	108W	36pcs 3W LED	White	5pcs/ctn	21kg	124*35*16cm

IP67 LED Bar Light



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243B-01	312x99x66mm	12-28VDC	18W	6pcs 3W LED	White	10pcs/ctn	12kg	50*29*27cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243B-02	501x99x66mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	18kg	63*48*22cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243B-03	690x99x66mm	12-28VDC	54W	18pcs 3W LED	White	5pcs/ctn	14kg	67*50*15cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243B-04	879x99x66mm	12-28VDC	72W	24pcs 3W LED	White	5pcs/ctn	15kg	86*50*15cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243B-05	1068x99x66mm	12-28VDC	90W	30pcs 3W LED	White	5pcs/ctn	18kg	105*35*16cm



- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Material: Aluminum housing + Polycarbonate lens.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-243B-06	1257x99x66mm	12-28VDC	108W	36pcs 3W LED	White	5pcs/ctn	21kg	124*35*16cm

IP67 LED Bar Light

Features:

- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Use high quality LEDs.
- Material: Aluminum housing + Polycarbonate lens.
- Available in difference length.
- Stainless steel mounting bracket. Easy installation.
- CE, RoHS approved.
- Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-244A-01	257x96x80mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	16kg	57*29*32cm
KW-244A-02	446x96x80mm	12-28VDC	72W	24pcs 3W LED	White	4pcs/ctn	11kg	48*24*32cm
KW-244A-03	635x96x80mm	12-28VDC	108W	36pcs 3W LED	White	5pcs/ctn	15kg	67*24*32cm

IP67 LED Bar Light

Features:

- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Use high quality LEDs.
- Material: Aluminum housing + Polycarbonate lens.
- Available in difference length.
- Zinc alloy mounting bracket. Easy installation.
- CE, RoHS approved.
- Application: Can use for Trailer / Truck / Caravan / Boat / Bus / Car / House.



Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-244B-01	314x113x80mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	16kg	57*29*32cm
KW-244B-02	503x113x80mm	12-28VDC	72W	24pcs 3W LED	White	4pcs/ctn	11kg	48*24*32cm
KW-244B-03	692x113x80mm	12-28VDC	108W	36pcs 3W LED	White	5pcs/ctn	15kg	67*24*32cm

IP67 Curved LED Bar Light

Features:

- Curved type.
- Input Voltage: 12-28VDC.
- IP Rating: Waterproof IP67.
- Use high quality LEDs.
- Material: Aluminum housing + Polycarbonate lens.
- Aluminum side mounting bracket. Easy installation.
- Available in difference length.
- CE, RoHS approved.



PART No.		KW-248-01	KW-248-02	KW-248-03	KW-248-04	KW-248-05	KW-248-06
Dimension	A	244 mm(9.6")	437 mm(17.2")	629 mm(24.8")	822 mm(32.4")	1013 mm(39.9")	1204 mm(47.4")
	B	335 mm(13.2")	528 mm(20.8")	719 mm(28.3")	910 mm(35.8")	1101 mm(49.2")	1290 mm(50.8")
	C	81 mm(3.2")	85 mm(3.3")	93 mm(3.7")	103 mm(4.0")	117 mm(4.6")	134 mm(5.3")

Model	Dimension	Voltage	Power	LED Type	Color	QTY/CTN	G.W	CTN Size
KW-248-01	335x119x98mm	12-28VDC	36W	12pcs 3W LED	White	10pcs/ctn	19kg	38*33*32cm
KW-248-02	528x119x98mm	12-28VDC	72W	24pcs 3W LED	White	4pcs/ctn	12kg	56*39*28cm
KW-248-03	719x119x98mm	12-28VDC	108W	36pcs 3W LED	White	4pcs/ctn	15kg	77*39*28cm
KW-248-04	910x119x98mm	12-28VDC	144W	48pcs 3W LED	White	4pcs/ctn	18kg	97*39*28cm
KW-248-05	1101x119x98mm	12-28VDC	180W	60pcs 3W LED	White	2pcs/ctn	12kg	114*39*15cm
KW-248-06	1290x119x98mm	12-28VDC	216W	72pcs 3W LED	White	2pcs/ctn	14kg	134*39*15cm